

Type Reference

- [Rdb](#): A relational database service
 - [RdbConfigFile](#): Database configuration file
 - [RdbExportDir](#): Directory where database export files are written
 - [RdbInstallRoot](#): Database installation root
 - [RdbInstanceName](#): Stores the value of the database instance name
 - [RdbPassword](#): A schema user's password
 - [RdbSetting](#): an Rdb setting
 - [RdbStrategyModule](#): Adapter to database
 - [RdbUserName](#): A user for a schema
- [RdbDataBuilder](#): General purpose ControlTier data builder
- [RdbDataPackage](#): A database schema export file generated by an RdbSchema
- [RdbMysqlStrategy](#): MySQL RDB strategy
- [RdbOracleStrategy](#): Oracle RDB strategy
- [RdbProjectBuilder](#): Builds and manages projects that use the content library
 - [RdbProjectBuilderSetting](#): A RdbProjectBuilder setting.
- [RdbSchema](#): Represents a database schema
 - [RdbSchemaExportParams](#): Sql import parameters
 - [RdbSchemaName](#): A schema name
 - [RdbSchemaPassword](#): A schema user's password
 - [RdbSchemaPostImportSqlScript](#): Sql script to run post runImport
 - [RdbSchemaPreImportSqlScript](#): Sql script to run before runImport
 - [RdbSchemaSetting](#): an RdbSchema setting
 - [RdbSchemaUserName](#): A user for a schema
 - [RdbStrategy](#): A schema name
- [RdbSqlPackage](#): A package containing build and deploy database sql scripts
- [RdbStrategy](#): Abstract RDB strategy
 - [RdbStrategyModule](#): Specifies the unique key value identifying which type database type is in use (e.g. "RdbMysqlStrategy" or "RdbOracleStrategy", etc)
 - [RdbStrategySetting](#): an RdbStrategySetting setting